




KNOB_Door	POM-C (Delrin®)	10	1	
schaal 2	PMMA (Perspex®)	7	1	
scharnier 2	Generic	6	2	
carrier_top 2	Aluminium Al-75S (EN-AW-7075-T6/3.4365.71)	5	1	
schaal 1	PMMA (Perspex®)	4	1	
borgmoer 1	Steel Stainless (AISI-304/1.4301)	3	3	
rod	Steel Stainless (AISI-304/1.4301)	2	3	
carrier_base M2_2	Aluminium Al-75S (EN-AW-7075-T6/3.4365.71)	1	1	
Part name	Material	Item	Qty	Comments
Dimensional tolerancing: NEN-ISO 2768-	Geometrical tolerancing: NEN-ISO 1101	Surface roughness: NEN-EN-ISO 1302	Material:	
Designed by: koningg	Design status: WorkInProgress	Release date: 21-3-2019	Group:	 3th angle LEIDEN UNIVERSITY PROPRIETARY THIS DOCUMENT CONTAINS CONFIDENTIAL PROPRIETARY INFORMATION THAT IS PROPERTY OF LEIDEN UNIVERSITY DO NOT DISCLOSE TO OR DUPLICATE FOR OTHERS EXCEPT AS AUTHORIZED BY LEIDEN UNIVERSITY
 Leiden institute of physics Fine mechanical department Niels Bohrweg 2 2333 CA Leiden Netherlands	Partname: Assembly2	Project:	Qty:	
		Scale: 1 : 4	Units: mm	A4 Sheet: 4 / 4
Filepath: @\\ger1\vakemingen_ger1\Cryo_plugins\CryoPlunger\CryoPlunger\LU\Assembly2.ipt				